







TYPICAL INSTALLATION
SCHEMAS












Hydraulic DP-Controller
2-Point Temperature Control



Hydraulic Dynamic
Flow Controller
modularly Temperature



Dynamic Flow Controller
modularly Temperature Control



Dynamic DP-Controller
modularly Temperature Control

2190	Ball Valve
4000	Orifice
4001	flow Controller
4002	dp- Controller
4006	modular motorized flow Controller
4111	Strainer
4116	Butterfly Valve
7217	Controll Valve
7217 V	Controll balancing Valve
7709	Actuator (on-off)
7710	Actuator (on-off)
7711	Actuator (modular)
7760	motorized controll Valve (2-port)
7761	motorized controll Valve (3-port)
7762	motorized controll Valve (3-port)
7990	Actuator (modular)

HERZ Armaturen Ges. m. b. H. A-1230 Wien, Richard-Strauss-Straße 22 Tel.: +43/(0)1/616 26 31-0
 Fax: +43/(0)1/616 26 31-27  E-Mail: office@herz.eu  www.herz.eu

All specifications and statements within this brochure are according to information available at the time of printing and meant for informational purpose only. Herz Armaturen reserves the right to modify and change products as well as its technical specifications and/or its functioning according to technological progress and requirements. It is understood that all images of Herz products are symbolic representations and therefore may visually differ from the actual product. Colours may differ due to printing technology used.

In case of any further questions don't hesitate to contact your closest HERZ Branch-office.

All diagrams have symbolic character and must not be complete.